

ABNORMAL BEHAVIOR

- ROBERT W. FERGUSON, Ph.D.
- COURSE OVERVIEW

LICENSING REQUIREMENTS

- PSYCHIATRIST
 - MD, INTERN, RESIDENT
- PSYCHOLOGIST
 - PH.D., PSY.D., 3000 HOURS, WRITTEN, WRITTEN LAW AND ETHICS EXAM
 - COMPUTER BASED TESTING

MORE

- MFCC
 - M.S., 3000 HOURS, WRITTEN, WRITTEN CLINICAL VIGNETTE
 - COMPUTER BASED TESTING
- LCSW - DITTO
- CERTIFIED COUNSELOR
- HYPNOTHERAPIST

HISTORY

- EXORCISM - 1400'S
- WITCHCRAFT - 1500'S
 - GHANA
 - INDONESIA
- PHRENOLOGY - GALL 1700'S
- ANIMAL MAGNETISM - MESMER 1800'S

THEORETICAL PERSPECTIVE

- HOW DO PEOPLE GET SICK?
- HOW DO PEOPLE GET BETTER?

PSYCHOANALYTIC - FREUD

- UNCONSCIOUS/REPRESSED CHILDHOOD EVENTS
- MAKE UNCONSCIOUS CONSCIOUS
- STAGES
 - ORAL- BIRTH TO 1 YEAR - TRUST
 - ANAL- 1 TO 3 YEARS - CONTROL
 - OEDIPAL- 3 TO 5 YEARS - SOCIAL/SEXUAL
- ID - EGO - SUPEREGO

DEFENSE MECHANISMS

- DENIAL- REPRESSION
- REGRESSION- REACTION FORMATION
- DISPLACEMENT-RATIONALIZATION
- INTELLECTUALIZATION-PROJECTION

METHODS

- MAKE UNCONSCIOUS CONSCIOUS
- FREE ASSOCIATION
- TRANSFERENCE
 - BODY REMEMBERS FIRST
- COUNTERTRANSFERENCE
- HYPNOSIS
- DREAMS
- SLIPS

HYPNOSIS

- MENTAL SET- BINDS- YES SET
- INDUCTION- COMMUNICATION
- REGRESSION-AWAKENING
- NEUROLINGUISTIC PROGRAMMING

BEHAVIORAL

- CONDITIONED MENTAL DISORDER
- STIMULUS - RESPONSE CONNECTIONS

PAVLOV - CLASSICAL CONDITIONING

- ENVIRONMENTAL CAUSES
- CS UCS R

CS UCS R

- NEUTRAL INSTINCT LEARNING
- BELL FOOD SALIVATE
- SHOES TOUCH AROUSAL
- BEARD RAPE FEAR
- HUSBAND REJECTION ANXIETY
- GENERALIZATION

SKINNER - OPERANT CONDITIONING

- R ____ S
- REINFORCEMENT - POSITIVE OR NEGATIVE
- PUNISHMENT

METHODS

- RECIPROCAL INHIBITION
- SYSTEMATIC DESENSITIZATION
- BEHAVIOR MODIFICATION
- FLOODING
- MODELING
- AVERSION THERAPY

COGNITIVE - ELLIS

- THOUGHTS CREATE FEELINGS
- RATIONAL EMOTIONAL THERAPY
 - A (ACTIVATING EVENT)
 - B (BELIEF SYSTEM)
 - C(CONSEQUENCES)
 - D(DEBATE THE BELIEF)
 - E(NEW EMOTIONS)

GESTALT - PERLS

- CONFRONTATIONAL
- FRAGMENTATION TO WHOLE
TEACH REAL NOT IDEAL
- NON-VERBAL RESPONSES
- OTHER CHAIR TECHNIQUE
- DREAMS

HUMANISTIC - ROGERS, MASLOW

- CLIENT CENTERED
- NON CONFRONTATIONAL
- INDIVIDUAL MAXIMUM POTENTIAL
- SELF ACTUALIZATION
- HIERARCHY OF NEEDS

ASSESSMENT AND CLASSIFICATION

- DSM IV-AXIS
 - 1952 (60), 1994 (410)
 - 1 - CLINICAL DISORDERS
 - 2 - PERSONALITY - RETARDATION
 - 3 - MEDICAL CONDITIONS
 - 4 - PSYCHOSOCIAL PROBLEMS
 - SOCIAL, OCCUPATIONAL, ETC.
 - 5 - GLOBAL ASSESSMENT
 - GAF SCALE - 1 TO 100

MORE A AND C

- CLINICAL INTERVIEW
- MENTAL STATUS EXAM
- TESTING (NORMS)
 - BENDER GESTALT
 - MMPI 2
 - WESCHLER
 - TAT
 - RORSCHACH
- DIFFERENTIAL DIAGNOSIS (DDX)

STRESS/HEALTH

- SELYE - DEFINITION, STAGES
 - ALARM - RESISTANCE - EXHAUSTION
- ADJUSTMENT DISORDER
 - WITHIN 3 MOS. FOR 6 MOS.
- POST TRAUMATIC STRESS DISORDER
 - 6 MOS.
 - TRAUMATIC STRESSOR
 - FLASHBACKS

FUNCTIONAL DISORDERS

- EGODYSTONIC
- ANXIETY - DEPRESSION - ANGER
- RESPONSIBILITY
- STATES VS. TRAITS
- GOOD CONTACT WITH REALITY

ANXIETY DISORDERS

- OBSESSIVE COMPULSIVE DISORDER
 - (AS GOOD AS IT GETS)
 - RECURRENT AND PERSISTENT
 - PSYCHOANALYTIC(REPRESSION)
 - COG/BEHAV - PERFECT/ANXIETY/FEAR LOSS OF CONTROL/OCD/PHOBIA
 - SEROTONIN – BRAIN FREEZE
- PHOBIA
 - AGORA, SOCIAL, SIMPLE
 - HANS/ALBERT

MORE ANXIETY

- PANIC DISORDER W/WO AGORAPHOBIA
 - 4 SYMPTOMS
 - 10 MINUTES
 - 4 WEEK CONCERN

GENERALIZED ANXIETY

- NUMBER OF LIFE EVENTS
- 3 SYMPTOMS
- 6 MONTHS

BIOLOGICAL (SEROTONIN, NOREPINEPHRINE, GABA)

- ENDOGENOUS
- EXOGENOUS
- ANAFRANIL
- XANAX
- VALIUM
- LIBRIUM
- BUSPAR

DISSOCIATIVE STATES

- AMNESIA - PSYCHOGENIC
- FUGUE
- DEPERSONALIZATION

DISSOCIATIVE IDENTITY DISORDER

- ALL ABUSED AS CHILDREN
- CHILDHOOD COPING MECHANISM
- NOT PSYCHOTIC - MEMORY LOSS
- AT LEAST TWO PERSONALITIES
- DIFFERENT PERSONALITIES/TRAITS
- CONTROL/CONSCIOUS PERSONALITIES
- HEADACHES

TERRI – TOGETHER WE ARE ONE

- NAN – 3, ANGER
- LYNN – 5, FEAR
- JENNIFER – 13, OUT GOING
- RESEE – 18, DANGEROUS
- DIANE – 21, SEDUCTIVE
- THERESA – 25, SUICIDAL

SOMATAFORM CHARACTERISTICS

- DISORDERS NOT REAL
- NOT UNDER VOLUNTARY CONTROL
- HYSTRIONIC TRAITS
- SENSORY DISORDERS
- DIFFICULT TO LOCATE
- PRIMARY/SECONDARY GAIN
- LA BELLE INDIFFERANCE

SOMATAFORM DISORDERS

- SOMATIZATION
 - MANY COMPLAINTS/BEFORE 30
- CONVERSION
- PAIN
- HYPOCHONDRIASIS - 6 MONTHS
- BODY DYSMORPHIC
 - BODY DISTORTIONS
- ANALYTIC - PHALLIC MOM
- BEHAV - MODELING

OTHER MEDICAL

- PSYCHOLOGICAL AFFECTING MEDICAL
 - BEHAVIORAL
 - organ susceptibility hypothesis
 - ANALYTICAL
 - CHILD-STRESSOR-PACIFIER-RELIEF
 - ADULT-STRESSOR-NO PACIFIER/NO RELIEF
- FACTITIOUS - MUNCHAUSEN
- MALINGERING - V CODE

MOOD DISORDERS

- MANIA
- HYPO MANIC
- DEPRESSION
- DYSTHYMIA
- CYCLOTHYMIA

MANIA - 4 SYMPTOMS FOR 1 WEEK

- RAPID SPEECH
- MOTOR HYPERACTIVITY
- INSOMNIA
- FLIGHT OF IDEAS
- GRANDIOSITY
- POOR JUDGMENT
- AGGRESSIVE
- IMPULSIVE

MORE SYMPTOMS

- BOUNDLESS ENERGY
- ENTHUSIASM
- INCREASED SEX DRIVE
- REPETITIVE BEHAVIORS
- ON TOP OF THE WORLD

DEPRESSION - 5 SYMPTOMS DURING 2 WEEKS

- GLOOM
- HOPELESSNESS
- WITHDRAWN
- IRRITABLE
- WORRY
- SELF BLAME
- DECREASED SEX DRIVE

MORE SYMPTOMS

- FATIGUE
- HYPER/INSOMNIA
- DECREASED APPETITE
- LOSS OF INTEREST
- SUICIDAL

OTHER MOOD DISORDERS

- HYPOMANIC - 3 SYMPTOMS/4 DAYS
- DYSTHYMIC - SYMPTOMS FOR 2 YEARS
- CYCLOTHYMIC - NUMEROUS EPISODES - 2 YEARS
- SEASONAL AFFECTIVE DISORDER (SAD)

BI-POLAR DIAGNOSIS

- SINGLE MANIC EPISODE, MOST RECENT
- HYPOMANIC
- MRE MANIC, MRE MIXED, MRE DEPRESSED
- CYCLOTHYMIC

DEPRESSIVE DIAGNOSIS

- MAJOR DEPRESSION SINGLE EPISODE
- MAJOR DEPRESSION RECURRENT
- DYSTHYMIA

ENDOGENOUS - EXOGENOUS

- NOREPINEPHRINE
- SEROTONIN

BIOCHEMICAL

- LITHIUM
- DEPAKOTE (RAPID CYCLING)
- PROZAC
- ZOLOFT
- ELIVILE
- TRIAVILE
- PAXIL
- MAO'S
- ECT, INSULIN – JOHN NASH

SUICIDE

- INVOLUNTARY COMMITMENT
- WIC 5150
 - 72 HOURS
 - DANGER TO SELF
 - DANGER TO OTHERS (TERASOFF)
 - GRAVELY DISABLED
- WIC 5250

CONSIDERATIONS

- PAST HISTORY
- CURRENT THOUGHTS
- PLAN
- MEANS
- REASON
- DEMOGRAPHICS
- SUPPORT SYSTEM
- ALCOHOL/DRUGS

PERSONALITY DISORDERS

- EGOSYNTONIC
- BLAME OTHERS
- TRAITS (PERVASIVE)
 - 4-5 UNHEALTHY
- START EARLY - STAY LATE
 - DEGREE, INTENSITY, DURATION
- DIAGNOSIS - EARLY ADULTHOOD

CLUSTER A

- PARANOID
- SCHIZOID
- SCHIZOTYPAL

PARANOID (4)

- EXPECTS TO BE HARMED
- QUESTIONS LOYALTY
- HIDDEN MEANINGS
- BEARS GRUDGES
- RELUCTANT TO CONFIDE
- EASILY SLIGHTED
- QUESTIONS FIDELITY

SCHIZOID (4) UNIBOMBER

- NOT DESIRE CLOSE RELATIONSHIPS
- SOLITARY ACTIVITIES
- RARE EMOTIONS
- ASEXUAL
- INDIFFERENT
- NO CLOSE FRIENDS
- CONSTRICTED AFFECT

CAUSES – BIOLOGICAL DOPAMINE

- PRODROMAL
- ACTIVE
- RESIDUAL

SCHIZOTYPAL (5) - FISHER KING

- IDEAS OF REFERENCE/ PARANOID
- SOCIAL ANXIETY
- ODD BELIEFS - MAGICAL THINKING
- ILLUSIONS
- ODD/ECCENTRIC BEHAVIOR
- NO CLOSE FRIENDS
- ODD SPEECH
- INAPPROPRIATE AFFECT

CLUSTER B

- ANTISOCIAL
- BORDERLINE
- HISTRIONIC
- NARCISSISTIC

ANTISOCIAL (3) RIDGEWAY/RAMIREZ

- EVIDENCE OF CONDUCT DISORDER - BEFORE 15
- UNSTABLE WORK BEHAVIOR
- UNLAWFUL BEHAVIOR
- IRRITABLE AND AGGRESSIVE
- UNSTABLE FINANCIAL OBLIGATIONS
- IMPULSIVE

MORE ANTISOCIAL

- LYING - MANIPULATION
- RECKLESS BEHAVIOR
- IRRESPONSIBLE PARENTING
- NOT MONOGAMOUS
- LACKS REMORSE

CAUSES

- BIOLOGICAL
 - EXTRA Y CHROMOSOME
 - EXCESS TESTOSTORONE (DEOPRAVERA)
 - SEROTONIN/CORTISONE
 - BRAIN COORDINATION
- PSYCHOLOGICAL
 - PSYCHOANALYTIC
 - BEHAVIORAL

BORDERLINE (5) (MISTY - FATAL ATTRACTION)

- UNSTABLE RELATIONSHIPS
- IMPULSIVE
- AFFECTIVE INSTABILITY
- INAPPROPRIATE/INTENSE ANGER
- RECURRENT SUICIDE THREATS
 - DERMATILLOMANIA/TRICOTILLOMANIA
- IDENTITY DISTURBANCE
- BOREDOM (CHRONIC)
- FRANTIC EFFORTS TO AVOID ABANDONMENT

HISTRIONIC (5)

- CONSTANT PRAISE/ATTENTION
- INAPPROPRIATE SEDUCTION
- CONCERNED WITH PHYSICAL ATTRACTIVENESS
- EXAGGERATED AFFECT
- CENTER OF ATTENTION

MORE HISTRIONIC

- RAPIDLY SHIFTING EMOTIONS
- SELF-CENTERED
- SPEECH - NO DETAIL

NARCISSISTIC (5)

- CRITICISM - RAGE
- INTERPERSONALLY EXPLOITATIVE
- GRANDIOSE - SELF-IMPORTANT
- UNIQUE PROBLEMS
- FANTASY - UNLIMITED SUCCESS

MORE NARCISSISTIC

- ENTITLEMENT
- CONSTANT ADMIRATION
- LACKS EMPATHY
- ENVY
- (TIME, PAST, DEFENSIVE FANTASIES)

CLUSTER C

- AVOIDANT
- DEPENDENT
- OBSESSIVE/COMPULSIVE
- PASSIVE AGGRESSIVE

AVOIDANT (4)

- EASILY HURT BY CRITICISM
- NO FRIENDS
- UNWILLING TO APPROACH PEOPLE
- AVOIDS SOCIAL/OCCUPATIONAL ACTIVITIES

MORE AVOIDANT

- SENSITIVE TO SAYING SOMETHING INAPPROPRIATE
- FEARS OF EMBARRASSMENT
- EXAGGERATES DANGERS/RISKS

DEPENDENT (5)

- UNABLE TO MAKE DECISIONS
- ALLOWS OTHERS TO MAKE DECISIONS
- AGREES WITH PEOPLE - EVEN IF WRONG
- DIFFICULTY INITIATING PROJECTS
- VOLUNTEERS TO BE LIKED

MORE DEPENDENT

- AVOID BEING ALONE
- DEVASTATED WHEN RELATIONSHIPS END
- ABANDONMENT FEARS
- HURT BY CRITICISM

OBSESSIVE COMPULSIVE (4)

- PERFECTIONISM
- PREOCCUPATION WITH DETAILS
- MY WAY - ONLY WAY
- EXCESSIVE DEVOTION TO WORK
- INDECISIVENESS

MORE OCD

- OVERCONSCIENTIOUSNESS
- RESTRICTED EXPRESSION OF AFFECTION
- LACK OF GENEROSITY
- HOARDING

PASSIVE AGGRESSIVE (5) DSM IIIR - (NOS)

- PROCRASTINATES
- SULKY, IRRITABLE
- WORKS SLOWLY
- PROTESTS - OTHERS UNREASONABLE DEMANDS

MORE PA

- AVOIDS OBLIGATIONS
- BELIEVES - DOING A GOOD JOB
- RESENTS SUGGESTIONS
- OBSTRUCTS EFFORTS OF OTHERS
- SCORNS AUTHORITY FIGURES

SEXUAL DYSFUNCTION

- NOT GENDER, ORIENTATION, OR TV
- SYMPATHETIC VS. PARASYMPATHETIC N.S.
- PRIORITIES OF FEMALES AND MALES

STAGES

- AROUSAL
- PLATEAU
- ORGASM
- RESOLUTION

ANATOMY - FEMALES

- LABIA MAJORA
- LABIA MINORA
- CLITORIS
- VAGINA

MORE FEMALE

- TRANSIDATE
- VESTIBULAR BULBS
- P.C. MUSCLE
- G. SPOT

ANATOMY - MALES

- PENIS
- CORPUS SPONGEOSUM
- SCROTUM
- TESTICLES
- PROSTATE

PRIMARY PROBLEMS

- ACCIDENTS
- NEUROLOGICAL
- MEDICATION/DRUGS/ALCOHOL
- VASCULAR
- ENDOMETRIOSIS
- DIABETES

SECONDARY DYSFUNCTION'S

- DESIRE (ISD) (AVERSION)
- AROUSAL (ISA)
 - LUBRICATION/IMPOTENCY
- ORGASMIC (ISO)
 - FEMALE (DURING SI)
 - PREMATURE/RETARDED EJACULATION
 - PT OF EJACULATORY INEVITABILITY
- VAGINISMUS

TREATMENT - SECONDARY

- SURROGATE
- SQUEEZE
- START-STOP
- BRIDGE
- DILATORS
- SENSATE FOCUS

TREATMENT - PRIMARY

- VASCULAR SURGERY
- PENILE PROSTHESIS
- PUMP
- PAPAVERINE® INJECTIONS
- CAVERJECT® INJECTIONS
- ALPROSTADIL® (MUSE)
- LASERS

MORE

- VIAGRA (SIDENAFIL CITRATE)
 - 1998, LASTS 4 HOURS
 - HEADACHES, FLUSHING, UPSET STOMACH
- LEVRITA (VARDENAFIL HYDROCHLORIDE)
 - 2003, LASTS 16 HOURS
 - COLD SYMPTOMS
- CIALIS (TADALAFIL)
 - 2003, LASTS 36 HOURS
 - FLU SYMPTOMS

PARAPHILIAS

- DEFINITION (6 MONTHS)
- DEMOGRAPHICS
- CAUSES
 - PSYCHO - MOTHER
 - BEHAV - CS__UCS__R
 - SHOES - TOUCH - AROUSAL

BEHAVIORS

- FETISHISM
- EXHIBITIONISM
- VOYEURISM
- TRANSVESTITISM
- PEDOPHILIA(NAMBLA)
- MASOCHISM
- SADISM

MORE PARAPHILIAS

- ZOOPHILIA
- NECROPHILIA
- KLISMAPHILIA
- FROTTEURISM
- UROPHILIA
- COPROPHILIA
- HYPOXYPHILIA

GENDER IDENTITY DISORDER

- TRANSSEXUALISM

EATING DISORDERS

- ANOREXIA (85%)
- BULIMIA (2/WEEK FOR 3 MONTHS)

PSYCHOSIS

- SCHIZOPHRENIA - (2) FOR 1 MONTH
 - DELUSIONS - (BIZARRE) THOUGHT
INSERTION/BROADCASTING
 - GRANDIOSE, IDENTITY, REFERENCE
 - HALLUCINATIONS - AUDITORY
 - DISORGANIZED SPEECH -PALEOLOGICAL
 - GROSS DISORGANIZED BEHAVIOR
 - NEGATIVE SYMPTOMS

TYPES

- PARANOID
 - RELIGIOUS
 - POLITICAL
 - ELECTRONIC
- CATATONIC
- DISORGANIZED

OTHER PSYCHOSES

- SCHIZOPHRENIFORM - LESS THAN 6 MONTHS
- BRIEF PSYCHOTIC DISORDER - 1 DAY TO 1 MONTH
- SCHIZO AFFECTIVE
- SHARED PSYCHOTIC DISORDER

DELUSIONAL DISORDER - NONBIZARRE DELUSIONS -1 MONTH

- EROTOMANIC
- GRANDIOSE
- JEALOUS
- PERSECUTORY
- SOMATIC

BIOLOGICAL - DOPAMINE

- STELAZINE
- THORAZINE
- PROLIXIN
- HALDOL

PSYCHOLOGICAL

- PSYCHOANALYTIC
- ENVIRONMENTAL
- SCHIZOPHRENOGENIC PARENTS

INFANCY, CHILDHOOD, ADOLESCENCE

- MENTAL RETARDATION - IQ LESS THAN 70 - BEFORE 18
- LEARNING DISORDERS
- STUTTERING
- AUTISM
- ADHD - 6 SYMPTOMS - 6 MONTHS
- CONDUCT DISORDER - 3 IN 12 MONTHS

MORE- ICA

- OPPOSITIONAL DEFIANT - 4 FOR 6 MONTHS
- PICA
- TOURETTE'S
- ENCOPRESIS - 1/MONTH FOR 3 MONTHS - AGE 4

MORE - ICA

- ENURESIS - 2/WEEK FOR 3 MONTHS - AGE 5
- SEPARATION ANXIETY - (3) FOR 4 WEEKS
- OVERANXIOUS (DSM IIIR)

PERSONALITY DISORDERS

- EGOSYNTONIC
- BLAME OTHERS
- TRAITS (PERVASIVE)
 - 4-5 UNHEALTHY
- START EARLY - STAY LATE
 - DEGREE, INTENSITY, DURATION
- DIAGNOSIS - EARLY ADULTHOOD

CLUSTER A

- PARANOID
- SCHIZOID
- SCHIZOTYPAL

PARANOID (4)

- EXPECTS TO BE HARMED
- QUESTIONS LOYALTY
- HIDDEN MEANINGS
- BEARS GRUDGES
- RELUCTANT TO CONFIDE
- EASILY SLIGHTED
- QUESTIONS FIDELITY

SCHIZOID (4) UNIBOMBER

- NOT DESIRE CLOSE RELATIONSHIPS
- SOLITARY ACTIVITIES
- RARE EMOTIONS
- ASEXUAL
- INDIFFERENT
- NO CLOSE FRIENDS
- CONSTRICTED AFFECT

CAUSES – BIOLOGICAL DOPAMINE

- PRODROMAL
- ACTIVE
- RESIDUAL

SCHIZOTYPAL (5) - FISHER KING

- IDEAS OF REFERENCE/ PARANOID
- SOCIAL ANXIETY
- ODD BELIEFS - MAGICAL THINKING
- ILLUSIONS
- ODD/ECCENTRIC BEHAVIOR
- NO CLOSE FRIENDS
- ODD SPEECH
- INAPPROPRIATE AFFECT

CLUSTER B

- ANTISOCIAL
- BORDERLINE
- HISTRIONIC
- NARCISSISTIC

ANTISOCIAL (3) (VIOLENT-NONVIOLENT)

- EVIDENCE OF CONDUCT DISORDER - BEFORE 15
- UNSTABLE WORK BEHAVIOR
- UNLAWFUL BEHAVIOR
- IRRITABLE AND AGGRESSIVE
- UNSTABLE FINANCIAL OBLIGATIONS
- IMPULSIVE

MORE ANTISOCIAL

- LYING - MANIPULATION
- RECKLESS BEHAVIOR
- IRRESPONSIBLE PARENTING
- NOT MONOGAMOUS
- LACKS REMORSE

CAUSES

- BIOLOGICAL
 - EXTRA Y CHROMOSOME
 - EXCESS TESTOSTORONE (DEPOPRAVERA)
 - SEROTONIN/CORTISONE
 - BRAIN COORDINATION
- PSYCHOLOGICAL
 - PSYCHOANALYTIC
 - BEHAVIORAL

BORDERLINE (5) (MISTY - FATAL ATTRACTION)

- UNSTABLE RELATIONSHIPS
- IMPULSIVE
- AFFECTIVE INSTABILITY
- INAPPROPRIATE/INTENSE ANGER
- RECURRENT SUICIDE THREATS
- IDENTITY DISTURBANCE
- BOREDOM (CHRONIC)
- FRANTIC EFFORTS TO AVOID ABANDONMENT

HISTRIONIC (5)

- CONSTANT PRAISE/ATTENTION
- INAPPROPRIATE SEDUCTION
- CONCERNED WITH PHYSICAL ATTRACTIVENESS
- EXAGGERATED AFFECT
- CENTER OF ATTENTION

MORE HISTRIONIC

- RAPIDLY SHIFTING EMOTIONS
- SELF-CENTERED
- SPEECH - NO DETAIL

NARCISSISTIC (5)

- CRITICISM - RAGE
- INTERPERSONALLY EXPLOITATIVE
- GRANDIOSE - SELF-IMPORTANT
- UNIQUE PROBLEMS
- FANTASY - UNLIMITED SUCCESS

MORE NARCISSISTIC

- ENTITLEMENT
- CONSTANT ADMIRATION
- LACKS EMPATHY
- ENVY
- (TIME, PAST, DEFENSIVE FANTASIES)

CLUSTER C

- AVOIDANT
- DEPENDENT
- OBSESSIVE/COMPULSIVE
- PASSIVE AGGRESSIVE

AVOIDANT (4)

- EASILY HURT BY CRITICISM
- NO FRIENDS
- UNWILLING TO APPROACH PEOPLE
- AVOIDS SOCIAL/OCCUPATIONAL ACTIVITIES

MORE AVOIDANT

- SENSITIVE TO SAYING SOMETHING INAPPROPRIATE
- FEARS OF EMBARRASSMENT
- EXAGGERATES DANGERS/RISKS

DEPENDENT (5)

- UNABLE TO MAKE DECISIONS
- ALLOWS OTHERS TO MAKE DECISIONS
- AGREES WITH PEOPLE - EVEN IF WRONG
- DIFFICULTY INITIATING PROJECTS
- VOLUNTEERS TO BE LIKED

MORE DEPENDENT

- AVOID BEING ALONE
- DEVASTATED WHEN RELATIONSHIPS END
- ABANDONMENT FEARS
- HURT BY CRITICISM

OBSESSIVE COMPULSIVE (4)

- PERFECTIONISM
- PREOCCUPATION WITH DETAILS
- MY WAY - ONLY WAY
- EXCESSIVE DEVOTION TO WORK
- INDECISIVENESS

MORE OCD

- OVERCONSCIENTIOUSNESS
- RESTRICTED EXPRESSION OF AFFECTION
- LACK OF GENEROSITY
- HOARDING

PASSIVE AGGRESSIVE (5) DSM IIIR - (NOS)

- PROCRASTINATES
- SULKY, IRRITABLE
- WORKS SLOWLY
- PROTESTS - OTHERS UNREASONABLE DEMANDS

MORE PA

- AVOIDS OBLIGATIONS
- BELIEVES - DOING A GOOD JOB
- RESENTS SUGGESTIONS
- OBSTRUCTS EFFORTS OF OTHERS
- SCORNS AUTHORITY FIGURES

SEXUAL DYSFUNCTION

- NOT GENDER, ORIENTATION, OR TV
- SYMPATHETIC VS. PARASYMPATHETIC N.S.
- PRIORITIES OF FEMALES AND MALES
- WORKING ON MYSTERIES WITHOUT ANY CLUES - SEGER

STAGES

- HIGHLY SEXED, POORLY SKILLED
- WORKING ON MYSTERIES WITHOUT ANY CLUES - SEGER
- AROUSAL
- PLATEAU
- ORGASM
- RESOLUTION

ANATOMY - FEMALES

- LABIA MAJORA
- LABIA MINORA
- CLITORIS
- VAGINA

MORE FEMALE

- TRANSIDATE
- VESTIBULAR BULBS
- P.C. MUSCLE
- G. SPOT

ANATOMY - MALES

- PENIS
- CORPUS SPONGEOSUM
- SCROTUM
- TESTICLES
- PROSTATE

PRIMARY PROBLEMS

- ACCIDENTS
- NEUROLOGICAL
- MEDICATION/DRUGS/ALCOHOL
- VASCULAR
- ENDOMETRIOSIS
- DIABETES
- PENILE FRACTURE

MORE

- PERSISTANT SEXUAL AROUSAL SYNDROME (FEMALES)
 - AROUSAL, PAIN, THROBING, SWELLING
 - PUDENDEL ARTERY OR NERVE
 - SURGERY
- PRIAPISM (MALES)
 - ERECTIONS, PAIN, THROBING
 - MORE THAN 6 HOURS
 - PUDENDEL ARTERY OR NERVE
 - CORPORAL ASPIRATION, DRUGS (BACLOFIN)

SECONDARY DYSFUNCTION'S

- DESIRE (ISD) (AVERSION)
- AROUSAL (ISA)
 - LUBRICATION/IMPOTENCY
- ORGASMIC (ISO)
 - FEMALE (DURING SI)
 - PREMATURE/RETARDED EJACULATION
 - PT OF EJACULATORY INEVITABILITY
- VAGINISMUS
- DYSPAREUNIA

TREATMENT - SECONDARY

- SURROGATE
- SQUEEZE
- START-STOP
- BRIDGE
- DILATORS
- SENSATE FOCUS – (VENIS) Very Erotic
Non Intercourse Sex

TREATMENT - PRIMARY

- VASCULAR SURGERY
- PENILE PROSTHESIS
- PUMP
- PAPAVERINE® INJECTIONS
- CAVERJECT® INJECTIONS
- ALPROSTADIL® (MUSE)
- LASERS
- VIAGRA®, LEVITRA
- NASAL SPRAY/CREAM 2005

MORE

- VIAGRA
 - 1998, LASTS 4 HOURS
 - HEADACHES, FLUSHING, UPSET STOMACH
- LEVITRA
 - 2003, LASTS 16 HOURS
 - COLD SYMPTOMS
- CIALIS
 - 2003, 36 HOURS
 - FLU SYMPTOMS
- INTRINSA – FEMALE PATCH, 2005

PARAPHILIAS

- DEFINITION
- DEMOGRAPHICS
- CAUSES
 - PSYCHO - MOTHER
 - BEHAV - CS__UCS__R
 - SHOES - TOUCH - AROUSAL

BEHAVIORS

- FETISHISM
- EXHIBITIONISM
- VOYEURISM
- TRANSVESTITISM
- PEDOPHILIA
- MASOCHISM
- SADISM

MORE PARAPHILIAS

- ZOOPHILIA
- NECROPHILIA
- KLISMAPHILIA
- FROTTEURISM
- UROPHILIA
- COPROPHILIA
- HYPOXYPHILIA

GENDER IDENTITY DISORDER

- TRANSSEXUALISM

EATING DISORDERS

- ANOREXIA (85%)
- BULIMIA (2/WEEK FOR 3 MONTHS)

PSYCHOSIS

- SCHIZOPHRENIA - (2)
 - DELUSIONS - (BIZARRE) THOUGHT INSERTION/BROADCASTING
 - GRANDIOSE, IDENTITY, REFERENCE
 - HALLUCINATIONS - AUDITORY
 - DISORGANIZED SPEECH -PALEOLOGICAL
 - GROSS DISORGANIZED BEHAVIOR
 - NEGATIVE SYMPTOMS

TYPES

- PARANOID
 - RELIGIOUS
 - POLITICAL
 - ELECTRONIC
- CATATONIC
- DISORGANIZED

OTHER PSYCHOSES

- SCHIZOPHRENIFORM - LESS THAN 6 MONTHS
- BRIEF PSYCHOTIC DISORDER - 1 DAY TO 1 MONTH
- SCHIZO AFFECTIVE
- SHARED PSYCHOTIC DISORDER

DELUSIONAL DISORDER - NONBIZARRE DELUSIONS -1 MONTH

- EROTOMANIC
- GRANDIOSE
- JEALOUS
- PERSECUTORY
- SOMATIC

BIOLOGICAL - DOPAMINE

- STELAZINE
- THORAZINE
- PROLIXIN
- HALDOPERIDOL
- CLOZARIL
- RISPERDAL
- SEROQUET
- OLANZAPINE

PSYCHOLOGICAL

- PSYCHOANALYTIC
- ENVIRONMENTAL
- SCHIZOPHRENOGENIC PARENTS

INFANCY, CHILDHOOD, ADOLESCENCE

- MENTAL RETARDATION - IQ LESS THAN 70 - BEFORE 18
- LEARNING DISORDERS
- STUTTERING
- AUTISM
- ADHD - 6 SYMPTOMS - 6 MONTHS
- CONDUCT DISORDER - 3 IN 12 MONTHS

MORE- ICA

- OPPOSITIONAL DEFIANT - 4 FOR 6 MONTHS
- PICA
- TOURETTE'S
- ENCOPRESIS - 1/MONTH FOR 3 MONTHS - AGE 4

MORE - ICA

- ENURESIS - 2/WEEK FOR 3 MONTHS - AGE 5
- SEPARATION ANXIETY - (3) FOR 4 WEEKS
- OVERANXIOUS (DSM IIIR)