

<html></html>

Creates an HTML document

<head></head>

Sets off the title and other information that isn't displayed on the Web page itself

<body></body>

Sets off the visible portion of the document

Header Tags

<title></title>

Puts the name of the document in the title bar

Body Attributes

<body bgcolor=?>

Sets the background color, using name or hex value

<body text=?>

Sets the text color, using name or hex value

<body link=?>

Sets the color of links, using name or hex value

<body vlink=?>

Sets the color of followed links, using name or hex value

<body alink=?>

Sets the color of links on click

Text Tags

<pre></pre>

Creates preformatted text

<h1></h1>

Creates the largest headline

<h6></h6>

Creates the smallest headline

Creates bold text

<i></i>

Creates italic text

<tt></tt>

Creates teletype, or typewriter-style text

<cite></cite>

Creates a citation, usually italic

Emphasizes a word (with italic or bold)

Emphasizes a word (with italic or bold)

Sets size of font, from 1 to 7)

Sets font color, using name or hex value

Links

Creates a hyperlink

Creates a mailto link

Creates a target location within a document

Links to that target location from elsewhere in the document

Formatting

<p></p>

Creates a new paragraph

<p align=?>

Aligns a paragraph to the left, right, or center

Inserts a line break

<blockquote>

</blockquote>

Indents text from both sides

<dl></dl>

Creates a definition list

<dt>

Precedes each definition term

<dd>

Precedes each definition

Creates a numbered list

Precedes each list item, and adds a number

Creates a bulleted list

<div align=?>

A generic tag used to format large blocks of HTML, also used for stylesheets

Graphical Elements

Adds an image

Aligns an image: left, right, center; bottom, top, middle

Sets size of border around an image

`<hr>`

Inserts a horizontal rule

`<hr size=?>`

Sets size (height) of rule

`<hr width=?>`

Sets width of rule, in percentage or absolute value

`<hr noshade>`

Creates a rule without a shadow

Tables

`<table></table>`

Creates a table

`<tr></tr>`

Sets off each row in a table

`<td></td>`

Sets off each cell in a row

`<th></th>`

Sets off the table header (a normal cell with bold, centered text)

Table Attributes

`<table border=#>`

Sets width of border around table cells

`<table cellspacing=#>`

Sets amount of space between table cells

`<table cellpadding=#>`

Sets amount of space between a cell's border and its contents

`<table width=# or %>`

Sets width of table - in pixels or as a percentage of document width

`<tr align=?>` or `<td align=?>`

Sets alignment for cell(s) (left, center, or right)

`<tr valign=?>` or `<td valign=?>`

Sets vertical alignment for cell(s) (top, middle, or bottom)

`<td colspan=#>`

Sets number of columns a cell should span

`<td rowspan=#>`

Sets number of rows a cell should span (default=1)

`<td nowrap>`

Prevents the lines within a cell from being broken to fit

Frames

`<frameset></frameset>`

tag in a frames document; can also be nested in other framesets

`<frameset rows="value,value">`

Defines the rows within a frameset, using number in pixels, or percentage of width

`<frameset cols="value,value">`

Defines the columns within a frameset, using number in pixels, or percentage of width

`<frame>`

Defines a single frame - or region - within a frameset

`<noframes></noframes>`

Defines what will appear on browsers that don't support frames

Frames Attributes

`<frame src="URL">`

Specifies which HTML document should be displayed

`<frame name="name">`

Names the frame, or region, so it may be targeted by other frames

`<frame marginwidth=#>`

Defines the left and right margins for the frame; must be equal to or greater than 1

`<frame marginheight=#>`

Defines the top and bottom margins for the frame; must be equal to or greater than 1

`<frame scrolling=VALUE>`

Sets whether the frame has a scrollbar; value may equal "yes," "no," or "auto." The default, as in ordinary documents, is auto.

`<frame noresize>`

Prevents the user from resizing a frame

Forms

For functional forms, you'll have to run a CGI script. The HTML just creates the appearance of a form.

`<form></form>`

Creates all forms

`<select multiple name="NAME" size=?></select>`

Creates a scrolling menu. Size sets the number of menu items visible before you need to scroll.

`<option>`

Sets off each menu item

`<select name="NAME"></select>`

Creates a pulldown menu

`<option>`

Sets off each menu item

`<textarea name="NAME" cols=40 rows=8></textarea>`

Creates a text box area. Columns set the width; rows set the height.

`<input type="checkbox" name="NAME">`

Creates a checkbox. Text follows tag.

`<input type="radio" name="NAME" value="x">`

Creates a radio button. Text follows tag

`<input type="text" name="foo" size=20>`

Creates a one-line text area. Size sets length, in characters.

```
<input type="submit" value="NAME">
```

Creates a Submit button

```
<input type="image" border=0 name="NAME" src="name.gif">
```

Creates a Submit button using an image

```
<input type="reset">
```

Creates a Reset button